SAFETY DATA SHEET



CMT 30

Section 1. Identification

GHS product identifier	: CMT 30
Product code	: CMT30
Other means of identification	: Not available.
Product type	: Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Not available.	
Uses advised against	Reason

Section 2 Hazards identification	
Emergency telephone number (with hours of operation)	: 24 hr. CHEMTREC 1-800-424-9300 / International 1-703-527-3887
Supplier's details	: Royal Purple, Inc. 1 Royal Purple Lane Porter, Texas 77365 USA Phone:281-354-8600 Emergency Phone:281-354-8600

Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 19.3%
	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 8.7%
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Avoid contact with skin and clothing. Wash thoroughly after handling.
Hazards not otherwise classified	: Prolonged or repeated contact may dry skin and cause irritation.

Section 3. Composition/information on ingredients

Substance/mixture

Other means of identification

: Mixture

: Not available.

CAS number/other identifiers

CAS number

: Not applicable.

Ingredient name	%	CAS number
	≥50 - <75 ≥5 - <10	64742-65-0 9003-29-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	 Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed			
Potential acute health effe	<u>S</u>		
Eye contact	: No known significant effects or critical hazards.		
Inhalation	: No known significant effects or critical hazards.		
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.		
Ingestion	: No known significant effects or critical hazards.		
<u>Over-exposure signs/sym</u>	<u>oms</u>		
Eye contact	: No specific data.		
Inhalation	: No specific data.		
Skin contact	: Adverse symptoms may include the following: irritation dryness cracking		
Ingestion	: No specific data.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.		
Specific treatments	: No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.		

See toxicological information (Section 11)

Date of issue/Date of revision	: 04/26/2015	

Version :1

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	ctive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ontainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage,	Store in accordance with local regulations. Store in original container protected from
including any	direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials
incompatibilities	(see Section 10) and food and drink. Keep container tightly closed and sealed until
	ready for use. Containers that have been opened must be carefully resealed and kept
	upright to prevent leakage. Do not store in unlabeled containers. Use appropriate
	containment to avoid environmental contamination

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits		
Distillates (petroleum), solvent-dewaxed heavy paraffinic		ACGIH TLV (United States, 4/2014). TWA: 5 mg/m ³ 8 hours. Form: Inhalable fraction NIOSH REL (United States, 10/2013). TWA: 5 mg/m ³ 10 hours. Form: Mist STEL: 10 mg/m ³ 15 minutes. Form: Mist OSHA PEL (United States, 2/2013). TWA: 5 mg/m ³ 8 hours.		
Appropriate engineering controls	: Good general ventilation sho contaminants.	ould be sufficient to control worker exposure to airborne		
Environmental exposure controls	comply with the requirements	r work process equipment should be checked to ensure they s of environmental protection legislation. In some cases, gineering modifications to the process equipment will be ons to acceptable levels.		
Individual protection meas	ures			
Hygiene measures	eating, smoking and using th techniques should be used to	Tace thoroughly after handling chemical products, before ne lavatory and at the end of the working period. Appropriate o remove potentially contaminated clothing. Wash e reusing. Ensure that eyewash stations and safety showers location.		
Eye/face protection	assessment indicates this is gases or dusts. If contact is	afety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, ases or dusts. If contact is possible, the following protection should be worn, unless e assessment indicates a higher degree of protection: safety glasses with side-shields.		
Skin protection				
Hand protection		us gloves complying with an approved standard should be ing chemical products if a risk assessment indicates this is		
Body protection	: Personal protective equipme	nt for the body should be selected based on the task being lved and should be approved by a specialist before handling		
Other skin protection		y additional skin protection measures should be selected formed and the risks involved and should be approved by a s product.		
Respiratory protection	standard if a risk assessmen	fying or air-fed respirator complying with an approved at indicates this is necessary. Respirator selection must be ed exposure levels, the hazards of the product and the safe d respirator.		

Section 9. Physical and chemical properties

Appearance Physical state : Liquid. Color : Not available. Odor : Not available. Odor threshold : Not available. pH : Not available. Melting point : Not available. Boiling point : Not available. Boiling point : Not available. Flash point : Closed cup: 236°C (456.8°F) Evaporation rate : Not available. Flammability (solid, gas) : Not available. (flammable) limits : Vapor pressure : Not available. Vapor density : Not available. Relative density : Not available. Solubility : Not available. Partition coefficient: n- : Not available. octanol/water : Not available. Auto-ignition temperature : Not available. Decomposition temperature : Not available.	1	
Color:Not available.Odor:Not available.Odor threshold:Not available.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Closed cup: 236°C (456.8°F)Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive (flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Solubility:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.	Appearance	
Odor:Not available.Odor threshold:Not available.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Closed cup: 236°C (456.8°F)Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Not available.(flammable) limits:Not available.Vapor pressure:Not available.Vapor density:Not available.Solubility:Not available.Solubility:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.	Physical state	: Liquid.
Odor threshold: Not available.pH: Not available.Melting point: Not available.Boiling point: Not available.Boiling point: Closed cup: 236°C (456.8°F)Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.	Color	: Not available.
pH: Not available.Melting point: Not available.Boiling point: Not available.Flash point: Closed cup: 236°C (456.8°F)Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure (glation density): Not available.Vapor density Solubility: Not available.Solubility: Not available.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.	Odor	: Not available.
Melting point: Not available.Boiling point: Not available.Flash point: Closed cup: 236°C (456.8°F)Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.	Odor threshold	: Not available.
Boiling point: Not available.Flash point: Closed cup: 236°C (456.8°F)Evaporation rate: Not available.Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.	рН	: Not available.
Flash point: Closed cup: 236°C (456.8°F)Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure (flammable) limits: Not available.Vapor density Relative density: Not available.Solubility Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.	Melting point	: Not available.
Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.	Boiling point	: Not available.
Flammability (solid, gas): Not available.Lower and upper explosive (flammable) limits: Not available.Vapor pressure (flammability): Not available.Vapor density Relative density: Not available.Solubility Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.	Flash point	: Closed cup: 236°C (456.8°F)
Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.	Evaporation rate	: Not available.
(flammable) limitsVapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.	Flammability (solid, gas)	: Not available.
Vapor density: Not available.Relative density: Not available.Solubility: Not available.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.		: Not available.
Relative density : Not available. Solubility : Not available. Partition coefficient: n- octanol/water : Not available. Auto-ignition temperature : Not available.	Vapor pressure	: Not available.
Solubility : Not available. Partition coefficient: n- octanol/water : Not available. Auto-ignition temperature : Not available.	Vapor density	: Not available.
Partition coefficient: n- octanol/water : Not available. Auto-ignition temperature : Not available.	Relative density	: Not available.
octanol/water Auto-ignition temperature : Not available.	Solubility	: Not available.
		: Not available.
Decomposition temperature : Not available.	Auto-ignition temperature	: Not available.
	Decomposition temperature	: Not available.
Viscosity : Kinematic (40°C (104°F)): 0.99 cm²/s (99 cSt)	Viscosity	: Kinematic (40°C (104°F)): 0.99 cm²/s (99 cSt)

Section 10. Stability and reactivity

	5
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum), solvent-dewaxed heavy paraffinic	LC50 Inhalation Dusts and mists	Rat	>5.53 mg/l	4 hours
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
Butene, homopolymer (products derived from either/ or But-1-ene/But-2-ene)	LD50 Dermal	Rabbit	>10250 mg/kg	-
	LD50 Oral	Rat	>34600 mg/kg	-

Section 11. Toxicological information

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
Butene, homopolymer (products derived from either/or But-1-ene/But- 2-ene)	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure	: Not available.	
Potential acute health effects	<u>s</u>	
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.	
Ingestion	: No known significant effects or critical hazards.	
Symptoms related to the ph	vsical, chemical and toxicological characteristics	
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: Adverse symptoms may include the following: irritation dryness cracking	
Ingestion	: No specific data.	
Delayed and immediate effe	<u>cts and also chronic effects from short and long term exposure</u>	
Short term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Long term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Date of issue/Date of revision	: 04/26/2015 Version : :	1

6/10

Section 11. Toxicological information

Potential chronic health effects

Not available.

General	 Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Acute EC50 >100 mg/l	Algae	72 hours
	Acute EC50 >100 mg/l	Daphnia	48 hours
	Acute LC50 >100 mg/l	Fish	96 hours
	Chronic NOEL >1 mg/l	Daphnia	21 days

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Butene, homopolymer (products derived from either/ or But-1-ene/But-2-ene)	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Distillates (petroleum), solvent-dewaxed heavy paraffinic	2 to 6	-	high
Butene, homopolymer (products derived from either/ or But-1-ene/But-2-ene)	7.6 to 7.8	314 to 1882	high

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined				
	Not determined.				
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed				
Clean Air Act Section 602 Class I Substances	: Not listed				
Clean Air Act Section 602 Class II Substances	: Not listed				
DEA List I Chemicals (Precursor Chemicals)	: Not listed				
DEA List II Chemicals (Essential Chemicals)	: Not listed				
<u>SARA 302/304</u>					
Composition/information	on ingredients				
No products were found.					
SARA 304 RQ	: Not applicable.				
<u>SARA 311/312</u>					
Classification	: Immediate (acute) health hazard				
Composition/information	on ingredients				

CMT 30

Section 15. Regulatory information

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Distillates (petroleum), solvent- dewaxed heavy paraffinic	≥50 - <75	No.	No.	No.	Yes.	No.
Butene, homopolymer (products derived from either/or But-1-ene/ But-2-ene)	≥5 - <10	No.	No.	No.	Yes.	No.

State regulations

Massachusetts	ne of the components are listed.	
New York	ne of the components are listed.	
New Jersey	e following components are listed: MINERAL OIL (UNTREATED a EATED)	and MILDLY
Pennsylvania	ne of the components are listed.	

California Prop. 65

WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive		Maximum acceptable dosage level
1,2-Benzenedicarboxylic acid, di- C9-11-branched alkyl esters, C10-rich	No.	Yes.	No.	Yes.

International lists

National inventory

Australia	: All components are listed or exempted.
Canada	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: At least one component is not listed.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: Not determined.

Section 16. Other information

Procedure used to derive the classification

Classification		Justification		
Not classified.				
History				
Date of issue/Date of revision	: 04/26/2015			
Version	: 1			

Section 16. Other information

: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,
1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.